


SAMPLES OF PRODUCT MATERIALS
FOR SELECTION OF THE REST OF INTERIOR DECOR

Veneer color



Color and structure of metal



* color and structure of metal and veneer may differ from original

Dixième
art



ERATO dark

PASSPORT

Dixième
art



WWW.DIXIEMEART.COM
info@dixiemeart.com

SPECIFICATIONS

Smoked figured eucalyptus veneer, high gloss lacquer, bronze metal finishes.

Table top dimensions: 250cm L x 110cm W x 78cm H x 5cm T
(98" L x 43" W x 30" H x 2" T)

Seats: 8-10

Table top net weight: 64.4 kgs/ 142 lbs

Table leg dimensions: 71cm x 41cm x 73cm H (27.9" x 16.1" x 28.7" H)

Table x1 leg net weight: 17.9 kgs/ 39.4 lbs (x2 legs in set)

HOW TO USE CARE KIT:

1. Ensure the surface is clean and dry. You can use a very soft cloth and lukewarm water to wipe the table top. Avoid water ingress on metal details.
2. Shake the wax bottle well.
3. Pour some wax onto a clean cloth and apply using an overlapping circular motion.
4. Allow to dry to a haze, then wipe off using a clean soft cloth.
5. Buff lightly to bring out the shine.

HISTORY OF MAINTENANCE AND RESTORATION

Date	Works

Serial number: _____

Date of manufacture: _____

Installation date: _____

QUALITY CONTROL CERTIFICATE

ERATO dark table n. : _____ meets all Dixieme art quality standards,
and is recognized as fit for use.

Date of issue: _____

Quality control manager: _____

STORAGE, SERVICE AND MAINTENANCE RULES FOR DIXIEME ART PRODUCTS

- The products are recommended to be used in a room with an air temperature of +15C to +40C; relative humidity of 30-70%, without sudden fluctuations.
- It is not recommended to place the furniture in the direct sunlight.
- Do not allow metal parts to come into direct contact with water.
- It is not advised to put sharp or hot objects on the table without a heat resistant stand (mat).
- Permissible load on the edges of the table top-no more than 50 kg.
- Permissible load on the table surface is not more than 400 kg.
- It is recommended not to leave any grime or dirt on the surfaces of furniture for a long time.

- Remove dirt with water or soap solution with mandatory subsequent wiping until the surface is dry (do not use: abrasive materials, liquids containing alcohol, ether, acetone and other solvents)
- In order to remove dirt and moisture from the surface, use a soft cloth (microfiber, suede, plush, flannel, etc.).
- We recommend to apply the polishing wax to the surface approximately every 2 months (depending on the intensity of use), and on metal products every 12 months.

Dixième
art

CARE KIT

250 ml polishing wax
8 pairs of gloves
4 wax applicators
8 cleaning wipes



Dixième
art

COMPLETE SET

Table top

Table legs x2

Packaging for delivery

Assembly instruction

Set of fittings for installation

Template for installation

Passport